## CHAPTER-11 CONIC SECTIONS 01 MARK TYPE QUESTIONS

Q. NO				QUESTION	MARK
1.	Two persons a	re standing op	posite to each o	ther at the boundary of an elliptical ground in such a	1
	way that it cre	ates a transver	se axis then trar	nsverse axis is the distance between	
	(a)Two vertice	S			
	(b)Two Foci				
	(c)Vertex and	the origin			
	(d)Focus and t	he vertex			
2.	Two students	s are playing b	adminton and	the path of the cork is making a parabola. The	1
	parabolic pat	h has the orig	in as its focus a	and the line x=2 as the directrix. Then the vertex of	
	the parabola	is at-			
	(a)(2 <i>,</i> 0)	(b) (0 <i>,</i> 2)	(c) (1, 0)	(d) (0, 1)	
3.	Lalit is playing	g with a stone	attached to a	rope by revolving it in an orbit. The centre of the	1
	circular orbit	$4X^2 + 4Y^2 -$	• 8X+ 12Y – 25 =	= 0 is	
	(A) (-2 <i>,</i> 3)				
	(B) (1, -3/2)				
	(C) (-4 <i>,</i> 6)				
	(D) (4 <i>,</i> -6)				
4.	Rita is sitting	near the wind	dow and saw a	rainbow in the shape of a parabola appears after	1
	the rain stops	s. The length o	of the latus rec	tum of rainbow $X^2$ = -9Y is equal to	
	and the second				
	1		and the second s		
	T ATUS AUXAMINA	in a fair and	HARD HAR A		
	A CARLES STOR		A BARAN		
	(a)3 units	(b)-3 units	(c)9/4 units	(d)9 units	
5.	Ram is makin	g an omelet h	e observed that	at the egg is in the shape of an ellipse having	1
	equation $3X^2$	$^{2} + 4Y^{2} = 12 \text{ t}$	hen find the le	ngth of the latus rectum of the egg:-	
	(a)2/5	(b)3/5	(c)3	(d)4	
6.	Rajesh has st	arted a new jo	ob at a nuclear	power plant and he observed that the chimneys at	1
	the plant are	in the shape of	of hyperbola Fi	nd the eccentricity of the hyperbola: $3X^2$ –	
	2 <i>Y</i> <sup>2</sup> =16				

	(a) $e = \sqrt{\frac{5}{2}}$ (b) $e = \sqrt{\frac{2}{5}}$ (c) $e = \frac{\sqrt{2}}{5}$ (d)None of these	
7.	A group of students are playing rugby with the rugby ball having the shape of an ellipse. Findthe coordinates of the foci of $\frac{x^2}{8} + \frac{y^2}{4} = 1$	1
8.	$\begin{array}{c} (a)F_{1}(2,0) \& F_{2}(2,0) & (b)F_{1}(-2,0) \& F_{2}(2,0) \\ (c)F_{1}(-2,0) \& F_{2}(-2,0) & (d)None \ of \ these \\ \hline The \ Locus \ of \ the \ planet \ orbiting \ the \ sun \ is:- \\ (a)circle & \\ (b)A \ straight \ line & \\ (c)Semicircle & \\ (d)Ellipse & \\ \end{array}$	1
9.	Seema is playing guitar for her father when her father told her that the guitar is in the shape of a hyperbola. The equation of the hyperbola with vertices $(0,\pm 6)$ and eccentricity=5/3 is ( $0,\pm 6$ ) and eccentricity=5/3 is ( $0,\pm 6$ ) and ecce	1
10.	A teacher is telling the students about the revolution of the planets around the sun makes an elliptical shape Find the length of latus rectum of $25x^2 + 4y^2 = 100$ is :-	1

	The second se	
	(a)3/5units (b)1/5units	
	(c)8/5 units (d)None of these	
11.	What is major axes length for ellipse $(x/25)^2 + ((y/16)^2) = 1?$	1
	a) 5 units	
	b) 4 units	
	c) 8 units	
	d) 10 units	
12.	Assertion (A). The slope of a line passing through two points ( -5, 2) and (3,-2) is $-1/2$	1
	Reason (R). The slope of a line passing through two given points $(x_{1,}y_{1})$ and $(x_{2,}y_{2})$ is	
	$(x_{2-}x_{1}) / (y_{2-}y_{1})$	
	a) Both A and R are true and R is the correct explanation of A.	
	b) Both A and R are true but R is not correct explanation of A.	
	c) A is true but R is false	
	d) A is false but R is true.	
	e) Both A and R are false.	
13.	If a circle pass through (2, 0) and (0, 4) and centre at x-axis then find the radius of the circle.	1
	a) 25 units	
	b) 20 units	
	c) 5 units	
1.4	d) 10 units The tensories drawn from the origin to the simple $w^2 + w^2 - 2wy - 2hy + h^2 = 0$ and	1
14.	The tangents drawn from the origin to the circle $x^2 + y^2 - 2fx - 2hy + h^2 = 0$ are	T
	a) h=r	
	b) $h = -r$	
	c) $r^2 + h^2 = 1$	
	d) $r^2 = 5h^2$	
15.	The circle $x^2 + y^2 + 2ax + c = 0$ . $x^2 + y^2 + 2by + c = 0$ touch if	1
	a) $1/a^2 + 1/b^2 = 1/c$	
	b) $1/a^2 + 1/b^2 = 1/c^2$	
	c) $1/a + 1/b + 1/c = 0$	
	d) None of these	
16.	The equation of the circle which touch both the axes and the line x= a, are	1
	a) $x^2 + y^2 \pm ax \pm ay + a^2/4 = 0$	
	b) $x^2 + y^2 + ax \pm ay + a^2/4 = 0$	
	c) $x^2 + y^2 - ax \pm ay + a^2/4 = 0$	
	d) None of these	

17.	The focus of the parabola $y^2 = -8x$ is	1
	A) (2,0) b) (-2,0) c) (0,2) d) (0,-2)	
18.	If foci of an ellipse are (0, $\pm$ 3) and length of semi-major axis is 5 units, then find the	1
	equation of ellipse.	
	a) $(x/4)^2 + (y/5)^2 = 1$	
	b) $(x/5)^2 + (y/4)^2 = 1$	
	c) $(x/10)^2 + (y/8)^2 = 1$	
	d) $(x/8)^2 + (y/10)^2 = 1$	
19.	What is eccentricity for $(x/9)^2 - (y/16)^2 = 1$ ?	1
	a) 2/5	
	b) 3/5	
	c) 1/5	
	d) 5/3	
20.	What is equation of latus rectums of ellipse	1
	$(x/25)^{-} + (y/16)^{-} = 1?$	
	$2$ $y = \pm 2$	
	$a_{1}x_{-\pm 3}$	
	b) y - 13	
	$(-1) = (-1)^{-1}$	
21	The equation of the circle in the first quadrant touching each coordinate axis at	1
21.	a distance of one unit from the origin is:	1
	(A) $x^2 + y^2 - 2x - 2y + 1 = 0$ (B) $x^2 + y^2 - 2x - 2y - 1 = 0$	
	$(C) x^{2} + y^{2} - 2x - 2y = 0 \qquad (D) x^{2} + y^{2} - 2x + 2y - 1 = 0$	
22.	The area of the triangle formed by the lines joining the vertex of the parabola	1
	$x^2 = 12v$ to the ends of its latusrectum is	1
	(A) 12 sq units (B) 16 sq units	
	(C) 18 sq. units $(D)$ 24 sq. units	
23.	(2) 10 59. diffes $(2)$ 24 59. diffes	1
	If e is the eccentricity of the ellipse $\frac{1}{4} + \frac{1}{9} = 1$ is	1
	(A)9/4 (B) $\frac{\sqrt{13}}{13}$ (C) $\frac{\sqrt{5}}{13}$ (D) none of these	
24.	The area of the circle centred at (1, 2) and passing through $(4, 6)$ is	1
	(A) $5\pi$ (B) $10\pi$ (C) $25\pi$ (D) none of these	1
25.	The eccentricity of the hyperbola whose latus rectum is 8 and conjugate axis is	1
	equal to half of the distance between the foci is	
	(A) 4/3 (B) $4/\sqrt{3}$ (C) 2 $/\sqrt{3}$ (D) none of these	
26.	The number of tangent that can be drawn from (1.2) to $x^2 + y^2 = 5$	1
	(A) 0 (B) 1 (C) 2 (D) more than 2	-
27.	Eccentricity 'e' of parabola is	1
	(A) e < 1 (B) $e > 1$ (C) $e = 1$ (D) $e = 0$	
28.	Identify the graph of the following equation.	
L		1



22	(a) Y axis (b) does not exists (c) exists at infinity (d) x= <u>+</u> r	1
55.		T
	(a) Parabola (b) Hyperbola (c) Ellipse (d)None of them	
34.	The type of conic section having e=0 will be a	1
	$(a)$ Parabola $(b)$ Hyperbola $(c)$ Ellipse(with $a \neq b)$ (d)Circle	
35	The equation $xy = c$ (where $c \neq 0$ a real constant) represents a	1
55.		_
	(a)Parabola (b) Hyperbola (c) Ellipse (d) Straight line	
36.	The graph of which among the following is not a connected curve.	1
	(a) $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ (b) $x^2 = y$ (c) $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ (d) $x^2 + y^2 = 1$	
37.	The point (-1,2) is situated	1
	(a) Over the Hyperbola $x^2-y^2=1$ (b) Outside the Hyperbola $x^2-y^2=1$	
	(a) inside the linear hole $x^2 + x^2 = 1$ (d) at a fact of the linear hole $x^2 + x^2 = 1$	
38	(c) inside the Hyperbola $x^{-}y^{-}=1$ (d) at a foci of the Hyperbola $x^{-}y^{-}=1$ The graph of which conic sections among the following is the graph of a function as $f(x)=y$ [ Where	1
50.	f:IR> IR , x is along the X axis and y along Y axis].	-
	(a) $x^2-y^2=1$ (b) $x^2+y^2=1$ (c) $y^2=x$ (d) $x^2=y$	
39.	The equation of the mirror that can reflect all the incident rays from origin and parallel to Y axis is.	1
	(a) $x^2=4a(y+a)$ (b) $y^2=4a(x+a)$ (c) $y^2=-4a(y+a)$ (d) $x^2-y^2=a^2$	
40.	If A and B are two fixed points and P is a variable point such that PA+PB=4; then the locus of P is	1
/11	(a)Parabola (b) Hyperbola (c) Ellipse (d) Straight line	1
<b>71</b> .	If a cone with two happes cut by a plane and does not pass through its vertex,	Ť
	the resulting curves will be? a) circle, cone, cylinder, Ellipse	
	h)circle Ellinse Paraola Hyperbola	
	c) Ellipse, cone, Hyperbola, cylinder	
	d) cone, frustrum of cone, Ellipse, circle	
42.	When a $< \beta < 90^{\circ}$ , if in this case the plane cuts the nappe other than the vertex	1
	of the cone, then the obtained conic section is ?	
	a) Circle	

	b) Parabola	
	c) Ellipse	
	d) Hyper क्bola	
43.	Eccentricty of the conic sections are mentioned in the given below figure. $ \begin{array}{c} \hline                                    $	1
	c)p-n, q-l, r-m d) None of them	
44.	One of the points on the parabola $y^2 = 12x$ with focal distance 12 is? i) (3, 6) ii) (7, $2\sqrt{21}$ ) iii) (9, $6\sqrt{3}$ ) iv) (8, $4\sqrt{6}$ )	1
45.	The equation of the given figure is	1
	P2 P2 P1 F1 F1 F1 Centre Vertex	
	<ul> <li>x<sup>2</sup>/a<sup>2</sup>- y<sup>2</sup>/b<sup>2</sup> =1 passes through the point(3v5, 1) and the length of its latus rectum is 4/3 units. The length of the conjugate is? Also the name of such conic figure is?</li> <li>i)2 units &amp;Hyperbola</li> <li>ii) 3 units &amp; Parabola</li> </ul>	

	iii) 4 units & Hyperbola	
	iii) 5 units & Parabola	
46.	If the distance from the focus is 10 units and the distance from the directrix is	1
	30 units, then what is the eccentricity?	
	a) 0.3333	
	b) 0.8333	
	c) 1.6667	
	d) 0.0333	
47.	Find the equation and area of the below given circle.	1
	(2,2) r $(4,5)$	
	(2,2)	
	1) $(x - 2)^2 + (y - 2)^2 = 13$ & $13\pi$ sqare unit	
	ii) $(x - 4)^2 + (y - 5)^2 = \sqrt{13} \& 13\pi$ sqare unit	
	iii) $(x - 2)^2 + (y - 2)^2 = \sqrt{13} \& \sqrt{13\pi}$ sqare unit	
	iv) $(x - 2)^2 + (y - 2)^2 = 13 \& 13\pi$ sqare unit	
48.	If the distance from the focus is 3 units and the distance from the directrix is 3	1
	units, then how much is the eccentricity?	
	a) Infinity	
	b) Zero	
	c) Unity	
	d) Less than one	
49.	carefully and choose the correct answer from the four options given below	1
	(a) Both the Statements are true and Statement II is the correct explanation of	
	Statem	
	(b) Both the Statements are true and Statement II is not the correct	

	explanation of Statement	
	(c) Statement I is true. Statement II is false	
	(d) Statement I is false. Statement II is true	
	Statement I: The equation of ellipse having foci (0, 1), (0, -1) and minor axis of	
	length 1 unit is $20x^2+4y^2=5$ .	
	Statement II: Eccentricity of an ellipse is less than 1.	
50.	The length of the transverse axis is the distance between the	1
	The length of the transverse axis is the distance between the	
	a. Two vertices	
	b. Two Foci	
	c. Vertex and the origin	
	d. Focus and the vertex	
51.	The parametric equation of the parabola $y^2 = 4ax$ is	1
	a. $x = at; y = 2at$	
	b. $x = at^2$ ; $y = 2at$	
	c. $x = at^2$ ; $y^2 = at^3$	
	d. $x = at^2$ ; $y = 4at$	
52.	The centre of the circle $4x^2 + 4y^2 - 8x + 12y - 25 = 0$ is	1
	a. (-2, 3)	
	b. (1, -3/2)	
	c. (-4, 6)	
	d. (4, -6)	
53.	The equation of the directrix of the parabola $y^2+4y+4x+2=0$ is	1
	a. $x = 1$	
	b. $x = -1$	
	c. $x = 3/2$	
	d. $x = -3/2$	
<b></b>		1
54.	The number of tangents that can be drawn from (1, 2) to $x^2+y^2 = 5$ is	1
	a 0	
	b 1	
	a. More than 2	

55.	The length of the latus rectum of $x^2 = -9y$ is equal to	1
	a. 3 units	
	b3 units	
	c. 9/4 units	
	d. 9 units	
56.	For the ellipse $3x^2+4y^2 = 12$ , the length of the latus rectum is:	1
	a. 2/5	
	b. 3/5	
	c. 3	
	d. 4	
57.	The eccentricity of hyperbola is	1
	a. e=1	
	b. $e > 1$	
	c. e < 1	
	d. $0 < e < 1$	
58.	The focus of the parabola $y^2 = 8x$ is	1
	a. $(0, 2)$	
	b. $(2, 0)$	
	c. $(0, -2)$	
	d. (-2, 0)	
50		1
55.	In an ellipse, the distance between its foci is 6 and the minor axis is 8, then its eccentricity is	1
	a. 1/2	
	b 1/5	
	$c = \frac{3}{5}$	
	$d - \frac{1}{5}$	
60.	The equation of a circle with center (-2, 3) is $x^2 + y^2 + 4x - 6y - 3 = 0$ . Find the radius of the	1
	circle?	
	a 4	
	b. 3	
	c. 5	
	d1	
61.	Determine the focus coordinates for parabola $y^2 = -8x$	1
	a. 4,0	
	b4,0	

	c. 5,0	
	d. 2,0	
62.	The length of the transverse axis is the distance between the	1
	a Two vertices	
	h Two Foci	
	c Vertex and the origin	
	d. Focus and the vertex	
63.	The centre of the circle $4x^2 + 4y^2 - 8x + 12y - 25 = 0$ is	1
	a. $(-2, 3)$	
	b. $(1, -3/2)$	
	c. $(-4, 6)$	
<u> </u>	$\frac{1}{2} \frac{1}{2} \frac{1}$	1
64.	The number of tangents that can be drawn from $(1, 2)$ to $x^2+y^2 = 5$ is	1
	a. 0	
	b. 1	
	c. 2	
	d. More than 2	
65.	The length of the latus rectum of $x^2 = -9y$ is equal to	1
	a. 3 units	
	b3 units	
	c. 9/4 units	
	d. 9 units	
66.	For the ellipse $3x^2+4y^2 = 12$ , the length of the latus rectum is:	1
	a. $2/5$	
	$\begin{array}{c} 0. & 5/5 \\ 0 & 3 \end{array}$	
	d. 4	
67	The eccentricity of hyperbola is	1
07.	The eccentricity of hyperbola is	1
	a. e =1	
	b. $e > 1$	
	c. e < 1	
	d.  0 < e < 1	4
68.	The focus of the parabola $y^2 = 8x$ is	1
	a. (0, 2)	
	b. (2,0)	
	c. (0, -2)	
	d. (-2, 0)	
69.	The line through the foci of Hyperbola is known as	1
	a. Laus rectum	
	D. Conjugate axis	
	c. Transverse axis	
	d. Eccentricity	

Q. NO	ANSWER	MARKS
1.	(a)two vertices	1
2.	(c)(1,0)	1
3.	(b)(1, -3/2)	1
4.	(d)9 units	1
5.	(c)3	1
6.	$(a)e=\sqrt{\frac{5}{2}}$	1
7.	(b)	1
8.	(c)8/5 unit	1
9.	(d) Ellipse	1
10.	(b) $16y^2 - 9x^2 = 576$	1
11.	D	1
12.	C	1
13.	C	1
14.	A	1
15.	A	1
16.	C	1
17.	В	1
18.	A	1
19.	D	1
20.	A	1
21.	A	1
22.	D	1
23.	C	1
24.	C	1
25.	С	1
26.	A	1
27.	C	1
28.	Α	1
29.	Α	1
30.	С	1
31.	d	

## ANSWERS:

32.	c	
33.	a	
34.	d	
35.	b	
36.	c	
37.	C	
38.	d	
39.		
40.	C h)airela Ellinaa, Daraala, Uurarhala	1
41.	b)Circle,Ellipse, Paraola, Hyperbola	
42.		1
43.	b) p-l, q-m, r-n	1
44.	iii) (9, 6√3)	1
45.	iii) 4 units & Hyperbola	1
46.	i)0.3333	1
47.	iv) $(x-2)^2+(y-2)^2=13 \& 13\pi$ sqaure unit.	1
48.	iii) unity	1
49.	b) Both the Statements are true and Statement II is not the correct	1
	explanation of Statement	
50.	(a) Two vertices	1
51		1
51.	(b) $x = at^2$ ; $y = 2at$	1
52.	(b) (1, -3/2)	1
53.	$(\cdot) = 2/2$	1
	(c) $x = 3/2$	1
54.	(b) 1	1
55.	(d) 9 units	1
56		1
50.	(c) 3	1
57.	(b) e > 1	1
		1
58.	(b) (2, 0)	
59	(a) 2/5	1

60.	a	1
61.	d	1
62.	a	1
63.	b	1
64.	b	1
65.	d	1
66.	c	1
67.	b	1
68.	b	1
69.	c	1