## BALA VIDYA MANDIR SR SEC SCHOOL ADYAR REVISION 1 EXAMINATION

SUBJECT: MATHEMATICS TIME: 3 HRS
DATE: 22.11.2024 MAX MARKS:80

CLASS: 12

Read the following instructions very carefully and strictly follow them:

This Question paper contains 38 questions. All questions are compulsory.


- This Question paper is divided into five Sections A, B, C, D and E.
- (iii) In Section A. Questions no. 1 to 18 are multiple choice questions (MCQs) and Questions no. 19 and 20 are Assertion-Reason based questions of 1 mark each.
- (iv) In Section B. Questions no. 21 to 25 are Very Short Answer (VSA)-type questions, carrying 2 marks each.
- (v) In Section C, Questions no. 26 to 31 are Short Answer (SA)-type questions, carrying 3 marks each.
- (vi) In Section D, Questions no. 32 to 35 are Long Answer (LA)-type questions, carrying 5 marks each.
- (vii) In Section E. Questions no. 36 to 38 are Case study-based questions, carrying 4 marks each.
- (viii) There is no overall choice. However, an internal choice has been provided in 2 questions in Section B, 3 questions in Section C, 2 questions in Section D and one subpart each in 2 questions of Section E.
- (ix) Use of calculators is not allowed.

#### SECTION-A [1 × 20 = 20 ]

1. The solution of the differential equation  $\frac{dy}{dy} + y = e^{-x}$ , y(0) = 1 is

# (This section comprises of multiple-choice questions (MCQs) of 1 mark each) Select the correct option (Question 1 - Question 18):

	(a) $y = e^x(x-1)$	(b) $y = x e^x$	(c) $y = xe^x + 1$	(d) $y = (x + 1)e^{-x}$
2	Integrating factor of the differential equation $(x \log x) \frac{dy}{dx} + y = 2 \log x$ is			
	(a) log(logx)	(b) logx	(c) e'	(d) x
	The number of solutions of $\frac{dy}{dx} = \frac{y+1}{x-1}$ , when $y(1) = 2$			
	(a) one	(b) two	(c) infinte	(d) three
4	The value of $\int_0^1 [3x] dx$			
	(a) 1	(b) 2	(c) 0	(d) 3
5.	If the area bounded by the curve $y^2 = 4x$ and the line $y = mx$ is $\frac{a}{3}$ sq. units, then the value			
	of m is		Ho-Mintal Cond	3 sq. times, then the value
	(a) 1	(b) 2	(c) 3	(4) 4



In the following questions, a statement of Assertion (A) is followed by the statement of Reason(R). Choose the correct answer out of the following choices.

- (a) Both A and R are true and R is the correct explanation of A.
- (b) Both A and R are true and R is not the correct explanation of A
- (c) A is true but R is false.
- (d) A is false but R is true.
- 19. **ASSERTION(A)**: The area of the region bounded by the curve  $y^2 4x$ , y-axis and the line y = 3 is  $\frac{9}{4}$  sq. units.

**REASON(R)**: The area of the region bounded by the curve x = f(y), the y-axis and the ordinates y = a and y = b is  $\int_a^b f(y) dy$ .

20. **ASSERTION** (A): The degree of the differential equation  $\left(1 - \left(\frac{dy}{dx}\right)^2\right)^{\frac{1}{2}} = k \frac{d^2y}{dx^2}$  is 2. **REASON(R)**: The degree of the differential equation  $\left(\frac{d^2y}{dx^2}\right)^2 - \sin\left(\frac{dy}{dx}\right) = 0$  is 2.

SECTION B 
$$[2 \times 5 = 10]$$

(This section comprises of 5 very short answer (VSA) type questions of 2 marks each)

- 2V. Evaluate:  $\int \frac{1}{x(x^5+3)} dx$ .
- 22. Find the area of the region bounded by the curve y = log x, the line x = 2 and the x-axis.
- 23. Find the intervals in which the function  $f(x) = x^4 2x^2$  is strictly increasing or strictly decreasing.

OR

Find the intervals in which the function f(x) = tanx - 4x,  $x \in (0, \frac{\pi}{2})$  is strictly increasing or strictly decreasing.

24. Find the particular solution of the differential equation  $(x + 1) \frac{dy}{dx} = 2e^{-y} - 1$ , given y = 0 when x = 0.

OR

Solve the differential equation  $\frac{dy}{dx} + ay = e^{mx}$ .

25. If 
$$\frac{x}{x-y} = \log\left(\frac{a}{x-y}\right)$$
, then find  $\frac{dy}{dx}$ .

### SECTION $C[3 \times 6 = 18]$

(This section comprises of 6 short answer (SA) type questions of 3 marks each.)

26. Evaluate: 
$$\int \frac{\sqrt{x^2+1} (\log(x^2+1)-2\log x)}{x^4} dx$$
.  $x > 0$ 

OR

I valuate: 
$$\int \frac{x^3+1}{x^6+1} dx$$

- 27. Using integration, find the area of the region bounded by the curve  $y = 20 \cos 2x$  from the ordinates  $x = \frac{\pi}{6}$  to  $x = \frac{\pi}{4}$  and the x-axis.
- 28. Prove that  $\tan\left(\frac{\pi}{4} + \frac{1}{2}\cos^{-1}\frac{a}{b}\right) + \tan\left(\frac{\pi}{4} \frac{1}{2}\cos^{-1}\frac{a}{b}\right) = \frac{2b}{a}$ .
- 29. Evaluate:  $\int_0^{3/2} |x \cos \pi x| dx$ .

OR

Evaluate:  $\int_0^{\frac{\pi}{2}} \log(\sin x) dx$ 

30. Consider the following Linear Programming Problem:

Minimize Z = x + 2y.

Subject to  $2x + y \ge 3, x + 2y \ge 6, x \ge 0, y \ge 0$ .

Show graphically that the minimum of Z occurs at more than two points

31. A man, 2 m tall, walks at the rate of  $1\frac{2}{3}$  m/sec towards a street light which is  $5\frac{1}{3}$  m above the ground. At what rate is the tip of his shadow moving? What rate is the length of his shadow changing when he is  $3\frac{1}{3}m$  from the base of light?

# SECTION D $[5 \times 4 = 20]$

(This section comprises of 4 long answer (LA) type questions of 5 marks each)

- 32. Using the method of integration, find the area of the region bounded by the lines 2x + y = 4, 3x - 2y = 6 and x - 3y + 5 = 0
- Solve the differential equation

$$e^{x/y}\left(1 - \frac{x}{y}\right) + \left(1 + e^{x/y}\right)\frac{dx}{dy} = 0, when \ x = 0 \ and \ y = 1$$
is drawn through the point P

4. A straight line is drawn through the point P(1, 4). Find the least value of the sum of intercepts made by the line on the coordinate axes. Also find the equation of the line.

- A window is in the form of a rectangle surmounted by a semicircle. If the perimeter of the window is 10m, find the dimensions of the window so that the maximum possible light is admitted.
- Make a rough sketch of the region given below and find its area using methods of integration  $\{(x, y): |x - 1| \le y \le \sqrt{5 - x^2}\}$ .

Make a rough sketch of the region given below and find its area using methods of integration  $\{(x,y): 0 \le y \le x^2 + 3, 0 \le y \le 2x + 3, 0 \le x \le 3\}$ 

#### SECTION- $E[4 \times 3 = 12]$

(This section comprises of 3 case-study/passage-based questions of 4 marks each with subparts. The first two case study questions have three subparts (i), (ii), (iii) of marks 1, 1, 2 respectively. The third case study question has two subparts of 2 marks each)

36. Consider the curve  $x^2 + y^2 - 16$  and line y = x in the first quadrant Based on the above information answer the following questions.

[[Mark] Draw the rough sketch of the graph and shade the required area.


[[Mark] (ii) Find the point of intersection the curves.

OR

(ii) Express the required area as a definite integral using appropriate limits. [1Mark]

(iii) Find the area bounded by the two given curves, using integration.

37. A man has an expensive square shape piece of golden board of size 24 cm is to be made into a box without top by cutting from each corner and folding the flaps to form a box. Based on the above information answer the following questions.



(i) Find the volume of open box formed by folding up the flap, in terms of x.

[IMark]

(ii) Find the side of the square piece to be cut from each corner of the

[1Mark] board to behold the maximum volume.

(iii) Find the maximum volume of open box.

[2Marks]

- (iii) Find the largest value of the function  $f(x) = \sin x + \sqrt{3}\cos x$  in  $[0, \pi]$ . [2Marks]
- 38. Let f be a continuous function on the closed interval [a, b], then

 $\int_a^b f(x) dx = \int_a^b f(a+b-x) dx \text{ and}$  $\int_{-a}^{a} f(x) dx = \begin{cases} 2 \int_{0}^{a} f(x) dx, & \text{if } f(x) \text{is even function} \\ 0, & \text{if } f(x) \text{is odd function} \end{cases}$ 

Based on the above information answer the following questions.

(i) Evaluate:  $\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} (2\sin|x| + \cos|x|) dx$ (ii) Evaluate:  $\int_{2}^{4} \frac{\log(x^{2})}{\log(x^{2}) + \log(36 - 12x + x^{2})} dx$ [2Marks]

[2Marks]