

**KENDRIYA VIDYALAYA SANGATHAN, KOLKATA REGION**

**PRE-BOARD EXAMINATION – 2024-25**

**CLASS – XII**

**SUB. – MATHEMATICS ( 041)**

**MARKING SCHEME**


**MCQ ANSWERS**

1.(B) 2.(A) 3.(A) 4.(D) 5.(D) 6.(A) 7.(D) 8.(D) 9.(A) 10.(C)

11.(C) 12.(A) 13.(C) 14.(C) 15.(B) 16.(D) 17.(C) 18.(D) 19.(A) 20.(D)

Q.NO	ANSWER	VALUE POINTS
21)	For each value of $\tan^{-1}(-1)$ , $\sin^{-1}\left(-\frac{1}{2}\right)$ and $\cos^{-1}\left(\frac{-1}{\sqrt{2}}\right)$ For final correct answer	$3 \times \frac{1}{2}$ $\frac{1}{2}$
22)	(a) Taking $(\cos x)^x$ as $y$ and taking log both sides Differentiating both sides w.r.t. $x$ and finding final answer <b>OR(b)</b> Finding the values of $\frac{dy}{d\theta}$ and $\frac{dx}{d\theta}$ Finding $\frac{dy}{dx}$	0.5 1.5 1.5 0.5
23)	Concluding that “a” is critical point Finding $f'(x)$ and equating $f'(a)$ to 0 to find the value of $a = 120$	0.5 1.5
24)	$ \vec{a} + \vec{b} + \vec{c} ^2 = (\vec{a} + \vec{b} + \vec{c}) \cdot (\vec{a} + \vec{b} + \vec{c})$ and using $\vec{a}, \vec{b},$ and $\vec{c}$ as a unit vector For correct answer $-3/2$	1 1
25)	(a) Finding adjacent sides of the parallelogram as vectors $a$ and $b$ Finding area of the parallelogram using $ \vec{a} \times \vec{b} $ <b>OR</b> (b) Using the concept that $\angle ABC$ is the angle between $\vec{BA}$ and $\vec{BC}$ Finding the angle between $\vec{BA}$ and $\vec{BC}$ using vectors	1 1 0.5 1.5
26)	Writing correct relation $x^2 + y^2 = 25$ and using $\frac{dx}{dt} = 2\text{cm/s}$	1 1

	For evaluating correct answer $-8/3$ cm/s	
27)	Finding $f'(x)$ and equating to zero to find the value of $x$ as $-1$ and $-2$ Finding intervals for increasing and decreasing	1 1+1
28)	(a) For writing $9x^2 + 6x + 5$ as a sum or difference of two squares For evaluating correct answer <b>OR</b> (b) taking $\int_0^{\frac{\pi}{4}} \log(1 + \tan x) dx$ as Integral I and applying the property $\int_0^a f(x) dx = \int_0^a f(a-x) dx$ Adding both integral and finding the value of I as $\frac{\pi}{8} \log 2$	1 2 1 2
29)	(a) d.r. of required line 3,5,6 for correct equation $\frac{x+2}{3} = \frac{y-4}{5} = \frac{z+5}{6}$ <b>OR</b> (b) $(\vec{x} - \vec{a}) \cdot (\vec{x} + \vec{a}) = 80$ , $ \vec{x} ^2 - 1 = 80$ For correct answer $ \vec{x}  = 9$	1 2 2 1
30)	(a) $S = \{BB, BG, GB, GG\}$ & taking all the three events For correct answer of both conditional probabilities <b>OR</b> (b) Taking X as a number of defective bulbs in a sample of 4 bulbs drawn and $X = 0, 1, 2, 3, 4$ For correct probability distribution	1 1+1 1 2
31)	For correct feasible region For corner point, corresponding value of Z and finding solution	1.5 1.5
32)	For the points of intersection, we solve equations of given circles The point of intersection are $(4, 4)$ and $(-4, -4)$ The rough sketch of the given curve is as follows:	1
		1.5

	<p>The required area = Area of the shaded region OBALO</p> <p>= Area of OBLO + Area of BLAB</p> $= \int_0^4 (y \text{ of line})dx + \int_4^{4\sqrt{2}} (y \text{ of circle})dx$ <p>For integrating and finding the area</p>	<p>1.5</p> <p>1</p>
33)	<p>Evaluating <math> A  = 9</math></p> <p>Evaluating <math>A^{-1} = \frac{1}{9} \begin{bmatrix} 7 &amp; -3 &amp; 2 \\ 3 &amp; 0 &amp; -3 \\ -1 &amp; 3 &amp; 1 \end{bmatrix}</math></p> <p>Writing equations in Matrix form and Using <math>X = A^{-1}B</math> and calculating the values of <math>x, y</math> and <math>z</math></p>	<p>1</p> <p>2</p> <p>2</p>
34)	<p>(a) Expressing improper rational function as proper rational function using division algorithm</p> <p>Doing partial fraction of proper rational function</p> <p>For correct integral values</p> <p><b>OR</b></p> <p>(b) <i>writing</i> <math>\int_1^4  x - 2  dx</math> as <math>\int_1^2  x - 2  dx + \int_2^4  x - 2  dx</math> and similar for others</p> <p>For correct value of definite integral</p>	<p>1</p> <p>2</p> <p>2</p> <p>2</p> <p>2</p>
35)	<p>(a) Rewriting the vector equation of the line in standard form</p> <p>Writing the values of <math>\vec{a}_1, \vec{a}_2, \vec{b}_1</math> and <math>\vec{b}_2</math></p> <p>Using the formula for shortest distance and finding the value of shortest distance</p> <p><b>OR</b></p> <p><b>(b)</b></p> 	<p>1</p> <p>1</p> <p>3</p> <p>1</p>

	Writing the general coordinate of the given line and taking them as the coordinate of M Writing direction ratio of given line and line PM Using the concept that line PM is perpendicular to given line to find the coordinate of M Finding the coordinate of image Q using the concept that M is the mid point of PQ	1 1 1 1
36)	(i) No of relations from B to G = 64 (ii) Smallest equivalence relation = $\{(g_1, g_1), (g_2, g_2)\}$ (iii) (a) (A) minimum ordered pairs $(b_1, b_1), (b_2, b_2), (b_3, b_3), (b_1, b_3)$ (B) minimum ordered pairs $(b_1, b_1), (b_2, b_2), (b_3, b_3), (b_1, b_3), (b_3, b_2)$ <b>OR</b> (iii) (b) For proving and justifying that f is one-one For proving and justifying that f is one-one	1 1 1 1 1 1
37)	(i) $V = (45-2x)(24-2x) \times \text{cm}^3$ (ii) $\frac{dV}{dx} = 1080 - 276x + 12x^2$ (iii) (a) Equating $\frac{dV}{dx} = 0$ and finding x as 5 cm for maximum value of x <b>OR</b> (iii) (b) finding maximum value of V for x = 5cm	1 1 2 2
38)	(i) Probability that the doctor arrives late = 0.21 by applying formula of total probability (ii) probability that he comes by cab when it is known that the doctor arrives late = 5/14 by applying Baye's Theorem	2 2