


CHAPTER-11
THREE DIMENSIONAL GEOMETRY
03 MARKS TYPE QUESTIONS

Q. NO	QUESTION	MARK
1.	Find the distance of a point (2,4,-1) from the line $\frac{x+5}{1} = \frac{y+3}{4} = \frac{z-6}{-9}$	3
2.	Find the shortest distance between the lines $\vec{r} = (\mathbf{i} + 2\mathbf{j} + \mathbf{k}) + \gamma(\mathbf{i} - \mathbf{j} + \mathbf{k})$ and $\vec{r} = (2\mathbf{i} - \mathbf{j} - \mathbf{k}) + \mu(2\mathbf{i} + \mathbf{j} + 2\mathbf{k})$	3
3.	Find the equation of the plane with intercepts 2, 3 and 4 on the x, y and z axis respectively.	3
4.	Find the shortest distance between the following lines: $\vec{r} = (2\hat{i} + 4\hat{j} - 8\hat{k}) + \beta(2\hat{i} + 3\hat{j} + 6\hat{k})$ $\vec{r} = (\hat{i} - 2\hat{j} - 4\hat{k}) + \alpha(4\hat{i} + 6\hat{j} + 12\hat{k})$	3
5.	Find the shortest distance between the following lines whose vector equation are given: $\vec{r} = (2\hat{i} + 4\hat{j} - 8\hat{k}) + \beta(2\hat{i} + 3\hat{j} + 6\hat{k})$ $\vec{r} = (\hat{i} - 2\hat{j} - 4\hat{k}) + \alpha(\hat{i} + 2\hat{j} + 4\hat{k})$	3
6.	Find the angle between the pair of lines: $\vec{r} = (6\hat{i} + 4\hat{j} - 8\hat{k}) + \gamma(2\hat{i} + 4\hat{j} + 4\hat{k})$ $\vec{r} = (10\hat{i} - 4\hat{j}) + \delta(6\hat{i} + 4\hat{j} + 12\hat{k})$	3
7.	 <p>Read the following text and answer the question on the basis of the same. A cycle race was organized in a town , where the maximum speed limit was set by the organizers . No participant are allowed to cross the specified speed limit, but two cycles A and B are running at the speed more than allowed speed on the road along the lines $\vec{r} = \hat{i} + \hat{j} - \hat{k} + \lambda(\hat{i} + 2\hat{j} - 2\hat{k})$ and $\vec{r} = \hat{i} + 2\hat{j} + 2\mathbf{k} + \mu(2\hat{i} + \hat{j} + \hat{k})$</p> <p>Find the angle between two lines.</p>	3
8.		3



An insect is crawling along the line $\frac{1-x}{3} = \frac{7y-14}{2p} = \frac{5z-10}{11}$ and another insect is crawling along the line $\frac{7-7x}{3p} = \frac{y-5}{1} = \frac{6-z}{5}$. Find the value of p so that the lines are perpendicular to each other.

9.



An insect is crawling along the line which passes through the point $(-2, 4, -5)$ and parallel to the line given by $\frac{x+3}{3} = \frac{y-4}{5} = \frac{z+8}{6}$ then find the cartesian equation of the line.

3

10. Find the distance of the point $P(-2, 4, -5)$ from the line $\frac{x+3}{3} = \frac{y-4}{5} = \frac{z+8}{6}$.

3

11. Find the co-ordinates of the foot of perpendicular drawn from the point $A(1, 8, 4)$ to the line joining the points $B(0, -1, 3)$ and $C(2, -3, -1)$.

3

12. Find the image of the point $(1, 6, 3)$ in the line $\frac{x}{1} = \frac{y-1}{2} = \frac{z-2}{3}$.

3

13. Find the point on the line $\frac{x+2}{3} = \frac{y+1}{2} = \frac{z-3}{2}$ at a distance of $3\sqrt{2}$ from the point $(1, 2, 3)$.

3

14. Find the point on the line $\frac{x+2}{3} = \frac{y+1}{2} = \frac{z-3}{2}$ at a distance of 5 units from the point $P(1, 3, 3)$.

3

15. Show that the lines $\frac{5-x}{-4} = \frac{y-7}{4} = \frac{z+3}{-5}$ and $\frac{x-8}{7} = \frac{2y-8}{2} = \frac{2-z}{3}$ are coplanar.

3

ANSWERS:

Q. NO	ANSWER	MARKS
1.	7 units	
2.	$\frac{3\sqrt{2}}{2}$	
3.	$\frac{x}{2} + \frac{y}{3} + \frac{z}{4} = 1$	
4.	<p>Since, the given lines are parallel as their direction ratios are proportional, so shortest distance between these lines is given by;</p> $d = \left \frac{\vec{b} \times (\vec{a}_2 - \vec{a}_1)}{ \vec{b} } \right $, where $\vec{a}_1 = (2\hat{i} + 4\hat{j} - 8\hat{k})$ $\vec{a}_2 = (\hat{i} - 2\hat{j} - 4\hat{k})$ $\vec{b} = (2\hat{i} + 3\hat{j} + 6\hat{k})$ $d = \frac{\sqrt{2581}}{7}$	3
5.	<p>Since, the given lines are not parallel as their direction ratios are not proportional, so shortest distance between these lines is given by;</p> $d = \left \frac{(\vec{b}_1 \times \vec{b}_2) \cdot (\vec{a}_2 - \vec{a}_1)}{ \vec{b}_1 \times \vec{b}_2 } \right $, where $\vec{a}_1 = (2\hat{i} + 4\hat{j} - 8\hat{k})$ $\vec{a}_2 = (\hat{i} - 2\hat{j} - 4\hat{k})$ $\vec{b}_1 = (2\hat{i} + 3\hat{j} + 6\hat{k})$ $\vec{b}_2 = (\hat{i} + 2\hat{j} + 4\hat{k})$ $d = \frac{16}{\sqrt{5}}$	3
6.	<p>The angle between the two given lines is given by:</p> $\theta = \left \frac{\vec{b}_1 \cdot \vec{b}_2}{ \vec{b}_1 \vec{b}_2 } \right $, where $\vec{b}_1 = (2\hat{i} + 4\hat{j} + 4\hat{k})$ $\vec{b}_2 = (6\hat{i} + 4\hat{j} + 12\hat{k})$ $\theta = \cos^{-1} \frac{19}{21}$	3
7.	$b_1 = (\hat{i} + 2\hat{j} - 2\hat{k})$ and $b_2 = (2\hat{i} + \hat{j} + \hat{k})$ $b_1 \cdot b_2 = (\hat{i} + 2\hat{j} - 2\hat{k}) \cdot (2\hat{i} + \hat{j} + \hat{k})$ $= 2 + 2 - 2$ $= 2$ $ b_1 = \sqrt{1 + 4 + 4} = 3$ $ b_2 = \sqrt{4 + 1 + 1} = \sqrt{6}$ the angle between two lines, $\cos \theta = \frac{2}{3\sqrt{6}}$ So, $\theta = \cos^{-1} \left(\frac{2}{3\sqrt{6}} \right)$	3
8.	<p>The given lines $\frac{1-x}{3} = \frac{7y-14}{2p} = \frac{5z-10}{11}$ and $\frac{7-7x}{3p} = \frac{y-5}{1} = \frac{6-z}{5}$</p> <p>OR, $\frac{x-1}{-3} = \frac{y-2}{2p/7} = \frac{z-2}{11/5}$ and $\frac{x-1}{-3p/7} = \frac{y-5}{1} = \frac{z-6}{-5}$</p> <p>Direction ratios of the lines are $-3, 2p/7, 11/5$ and $-3p/7, 1, -5$</p> <p>As the lines are perpendicular</p> <p>So, $-3 \times -3p/7 + 2p/7 \times 1 + 11/5 \times (-5) = 0$</p> <p>$9p/7 + 2p/7 - 11 = 0$</p> <p>$11p - 77 = 0$</p> <p>$11p = 77$</p> <p>So, $p = 7$.</p>	3
9.	The equation of given line is $\frac{x+3}{3} = \frac{y-4}{5} = \frac{z+8}{6}$	3

	<p>Direction ratios of the line are 3,5 and 6</p> <p>Now, the equation of the line passing through point (-2,4,5) and having direction ratios 3,5,6 is $\frac{x+2}{3} = \frac{y-4}{5} = \frac{z+5}{6}$</p>	
10.	<p>Any general point on the line $\frac{x+3}{3} = \frac{y-4}{5} = \frac{z+8}{6}$.....(1)</p> <p>is given by Q $(-3 + 3\lambda, 4 + 5\lambda, -8 + 6\lambda)$.....(2)</p> <p>If this point Q is to be foot of the perpendicular drawn to the line (1) from the point P(-2, 4, -5), then</p> <p>Direction ratios of line \overrightarrow{PQ} are given by $(3\lambda - 3 + 2, 5\lambda + 4 - 4, 6\lambda - 8 + 5) = (3\lambda - 1, 5\lambda, 6\lambda - 3)$</p> <p>Now, as \overrightarrow{PQ} is perpendicular to the line (1) hence, we have</p> <p>$3.(3\lambda - 1) + 5.(5\lambda) + 6.(6\lambda - 3) = 0$</p> <p>$\Rightarrow 70\lambda - 21 = 0 \Rightarrow \lambda = \frac{21}{70} = \frac{3}{10}$</p> <p>Hence, $\overrightarrow{PQ} = \left(-1 + \frac{9}{10}\right)\hat{i} + \frac{15}{10}\hat{j} + \left(-3 + \frac{18}{10}\right)\hat{k} = \frac{1}{10}\hat{i} + \frac{15}{10}\hat{j} - \frac{12}{10}\hat{k}$</p> <p>Therefore, $\overrightarrow{PQ} = \frac{1}{10}\sqrt{1 + 225 + 144} = \sqrt{\frac{37}{10}}$.</p>	<p>1</p> <p>1</p> <p>1</p>
11.	<p>Let Q be the foot of perpendicular drawn from the points A (1, 8, 4) to the line passing through B and C as shown in the Fig. 11.2. The equation of line BC by using the formula, $\vec{r} = \vec{a}_1 + \lambda(\vec{a}_2 - \vec{a}_1)$</p> <p>Here, $\vec{a}_1 = -\hat{j} + 3\hat{k}, \vec{a}_2 = 2\hat{i} - 3\hat{j} - \hat{k}$</p> <p>So that equation of $\overrightarrow{BC} = -\hat{j} + 3\hat{k} + \lambda(2\hat{i} - 2\hat{j} - 4\hat{k})$.....(1)</p> <p>Any general point Q on line (1) is given by Q $(2\lambda, -1 - 2\lambda, 3 - 4\lambda)$.....(2)</p> <p>If this point Q is to be foot of the perpendicular drawn to the line (1) from the point P(1, 8, 4), then</p> <p>Direction ratios of line \overrightarrow{PQ} are given by $2\lambda - 1, -1 - 2\lambda - 8, 3 - 4\lambda - 4) = (2\lambda - 1, -2\lambda - 9, -4\lambda - 1)$</p> <p>Now, as \overrightarrow{PQ} is perpendicular to the line (1) hence, we have</p> <p>$2.(2\lambda - 1) - 2.(-2\lambda - 9) - 4.(-4\lambda - 1) = 0 \Rightarrow 24\lambda + 20 = 0 \Rightarrow \lambda = \frac{-5}{6}$</p> <p>The required point is obtained by putting value of λ in (2) which is Q $(\frac{-5}{3}, \frac{2}{3}, \frac{19}{3})$</p>	<p>1</p> <p>1</p> <p>1</p>
12.	<p>Any general point on the line $\frac{x}{1} = \frac{y-1}{2} = \frac{z-2}{3}$.....(1)</p> <p>is given by Q $(\lambda, 1 + 2\lambda, 2 + 3\lambda)$.....(2)</p> <p>Let P (1, 6, 3) be the given point and let Q be the foot of perpendicular from point P to the line (1)</p> <p>Direction ratios of line \overrightarrow{PQ} are given by $(\lambda - 1, 1 + 2\lambda - 6, 3\lambda + 2 - 3) = (\lambda - 1, 2\lambda - 5, 3\lambda - 1)$</p> <p>Now, as \overrightarrow{PQ} is perpendicular to the line (1) hence, we have</p> <p>$1.(\lambda - 1) + 2.(2\lambda - 5) + 3.(3\lambda - 1) = 0$</p> <p>$\Rightarrow 14\lambda - 14 = 0 \Rightarrow \lambda = 1$</p> <p>Hence, co - ordinates of point Q are : Q (1, 3, 5)</p> <p>Now, if R (x, y, z) be image point of the point P (1, 6, 3) then, Q (1, 3, 5) will be mid - point of line - segment PR.</p> <p>So that, $\frac{x+1}{2} = 1, \frac{y+6}{2} = 3, \frac{z+3}{2} = 5$</p> <p>Hence, $x = 1, y = 0, z = 7$.</p>	<p>1</p> <p>1</p> <p>1</p>

	So that image point is : (1, 0, 7).	
13.	$A(\frac{56}{17}, \frac{43}{17}, \frac{111}{17})$	3
14.	$R(4,3,7)$ or $R(-2,-1,3)$	3
15.	$-51 -141 +192=0$	3