



CHENNAI SAHODAYA SCHOOLS COMPLEX

(General instructions)

- ❖ Please check that this question paper contains 5 printed pages.
- ❖ Please check that this question paper contains 38 questions.
- ❖ Please write down the serial number of the question before attempting it.
- ❖ Reading time of 15 minutes is given to read the question paper alone. No writing during this time

Read the following instructions very carefully and strictly follow them :

- This question paper contains 38 questions.
- All questions are compulsory.
- This question paper is divided into five Sections – A, B, C, D and E.
- In **Section A, Questions no. 1 to 18** are multiple choice questions (MCQs) and questions number 19 and 20 are Assertion-Reason based questions of 1 mark each.
- In Section B, **Questions no. 21 to 25** are very short answer (VSA) type questions, **carrying 2 marks each.**
- In Section C, **Questions no. 26 to 31** are short answer (SA) type questions, **carrying 3 marks each.**
- In Section D, **Questions no. 32 to 35** are long answer (LA) type questions **carrying 5 marks each.**
- In Section E, **Questions no. 36 to 38** are case study based questions **carrying 4 marks each.**

COMMON EXAMINATION

CLASS 12

APPLIED MATHEMATICS-241

SET -3

Roll No:

Date: 06/01/2025

Maximum Marks: 80

Time allowed : 3hours

SECTION A (one mark each)				
Q.NO	QUESTION			
1	If $f(x) = \log_a x$, then $f'(e) =$			
	a. $\frac{1}{e \log_a e}$	b. $\frac{1}{e}$	c. $\frac{1}{e \log_a e}$	d. $\frac{1}{a \log_a e}$
2	The function $f(x) = \frac{1}{x^2+1}$, $x \geq 0$			
	a. increasing for $x \geq 0$	b. increasing for $x > 0$		
	c. decreasing for $x > 0$	d. Decreasing for $x \geq 0$		
3	The order and degree of differential equation is $\left(\frac{d^3y}{dx^3}\right)^2 + \frac{d^2y}{dx^2} + \left(\frac{dy}{dx}\right) = 2x$			
	a) order 3 degree 3	b) Order 3 degree 2	c) order 2 degree 2	d) order 3 degree not defined
4	$\int_0^1 [3x] dx =$			
	a. 0	b. 1	c. 3	d. 2
5	If the objective function for a L P P is $Z = 5x + 7y$ and the corner points of the bounded feasible region are (0,0) (7,0) (3,4) and (0,2) then the maximum value of Z occurs at			
	a. (0,0)	b. (7,0)	c. (3,4)	d. (0,2)
6	If $\int_0^{40} \frac{dx}{2x+1} = \log k$, then the value of k is			
	a. 3	b. $\frac{9}{2}$		
	c. 9	d. 81		
7	A vehicle costing Rs.125000 has scrap value of Rs 25000. If annual depreciation			

	charge is 12500, then useful life of the vehicle is				
	a. 4 years	b. 6years	c. 8 years	d. 10 years	
8	An urn contains 5 red and 2 black balls. Two balls are randomly drawn without replacement. X represent number of black balls. Then the expectation of X is				
	(a) $\frac{12}{21}$	(b) $\frac{11}{21}$	(c) $\frac{10}{21}$	(d) $\frac{20}{21}$	(a) $\frac{11}{21}$
9	In a 200 meters race, Prateek beats Samarth by 35 meters or 7 seconds. How much time did prateek take to cover the race?				
	a. 40 sec	b. 47 sec	c. 33 sec	d. None	
10	If $\frac{ x+1 }{x+1} > 0$ then $x \in$				
	a. $[-1, \infty)$	b. $(-1, \infty)$	c. $(-\infty, -1)$	d. $(-\infty, -1]$	
11	If $A = \begin{pmatrix} 2 & x+7 \\ 2x-3 & x+8 \end{pmatrix}$ is symmetric then x is equal to				
	a. 10	b. $-\frac{4}{3}$	c. -10	d. $\frac{4}{3}$	
12	Find the value of $\begin{vmatrix} 2 & 7 & 65 \\ 3 & 8 & 75 \\ 5 & 9 & 86 \end{vmatrix}$				
	a. 1	b. -3	c. 0	d. -1	
13	One type of liquid contains 20% water and the second type of liquid contains 35% of water. A glass is filled with 10 parts of first liquid and 4 parts of second liquid. The water in the new mixture in the glass is				
	a. $12\frac{1}{7}\%$		b. $24\frac{2}{7}\%$		
	c. 37%		d. 46%		
14	What sum of money should be deposited at the end of every 6 months to accumulate Rs50000 in 8 years, if money is worth 6% p.a. compounded semi-annually? [Given : $(1.03)^{16} = 1.6047$]				
	(a) 3432.53	(b) 2783.08	(c) 2480.57	(d) 2149.93	
15	A 95% confidence interval for a population was reported to be 152 to 160. If $\sigma = 15$, then the margin of error is				
	a. 156		b. 4		
	c. 8		d. .312		
16	Population value is called				
	a. <i>variable</i>	b. parameter	c. data	d. statistics	
17	For the given values 23, 32, 40, 47, 58, 33, 42, the 5-yearly moving averages are				
	a. 38,40,42	b. 40,42,44	c. 40,42,46	d. 42,44,46	
18	If it is currently 6:00 am in 12 hours clock then what will be the time after 375 hours				
	a. 6 am	b. 6pm	c. 9am	d. 9pm	
	ASSERTION REASON BASED QUESTIONS In the following questions, a statement of Assertion(A) is followed by a statement of Reason (R). Choose the correct answer out of the following choices a. Both A and R are true and R is the correct explanation of A. b. Both A and R are true and R is not the correct explanation of A. c. A is true but R is false. d. A is false but R is true.				
19.	Assertion: If $2x + 1 < 2x + 1 , x \in R$ then $x \in \left(-\infty, -\frac{1}{2}\right)$ Reason: If $ x \geq y $ iff $x^2 \geq y^2$				
20.	Assertion : If $\begin{vmatrix} 2x & 5 \\ 8 & x \end{vmatrix} = \begin{vmatrix} 6 & -2 \\ 7 & 3 \end{vmatrix}$ then $x = \pm 6$ Reasoning: If A and B are matrices of order 3 and $ A = 4, B = 6$, then $ 2AB = 182$				
	SECTION B (2 marks each)				
21	A bag contains 2 white and 4 black balls. A ball is drawn 5 times with replacement. Find the probability that at least 4 of the balls drawn are white. Or The lifetime of an item produced by a machine has a normal distribution with mean 12 months and standard deviation of 2 months. Find the probability of an item produced by this machine will last a) less than 7 months b) between 7 and 14				

	months Given $P\left(z < \frac{5}{2}\right) = 0.9938$ and $P(z < 1) = 0.8413$
22	A chemist has prepared a solution in which the volume of water is 30% of the total volume. It is observed that on adding 5L of water in the solution, the volume of water increases to 40%. Find the quantity of water(in L) in original solution.
23	Evaluate $\int_0^2 x^2 + 2x - 3 dx$
24	If $A = \begin{pmatrix} 3 & 1 & 2 \\ 2 & -3 & -1 \\ 1 & 2 & 1 \end{pmatrix}$ Find $A(adj A)$ Or Find the matrix X if $\begin{pmatrix} 5 & 4 \\ 1 & 1 \end{pmatrix} X = \begin{pmatrix} 1 & -2 \\ 1 & 3 \end{pmatrix}$
25	The supply function for a commodity is $p = 4 + x$. Determine producer's surplus if 12 units of good are sold.
	SECTION C (3 marks each)
26	The mean weekly sales of mango candy in candy stores was 225.4 mango candy per store. After an advertising campaign the mean weekly sales in 25 stores for a typical week increased to 237.6 and showed a standard deviation of 21.3 . Was the advertising campaign successful? Level of confidence 5% [given $t_{24}(0.05) = 1.711$]
27	Form the differential equation of the family of circles touching the coordinate axis and centre in second quadrant.
28	If $x^y = y^x$ Find $\frac{dy}{dx}$
29	Evaluate $\int \frac{dx}{\sqrt{3x^2 - x - 1}}$ Or $\int_2^4 \frac{\log(x^2)}{\log(x^2) + \log(36 - 12x + x^2)} dx$
30	A box contains 200 tickets, each bearing one of the numbers from 1 to 200. 20 tickets are drawn successively with replacement from the box. Find the probability that at most 4 tickets bear numbers divisible by 20. Given $e^{-1} = 0.368$
31	A machine costs a company Rs525000 and its effective life is estimated to be 20 years. A sinking fund is created for replacing the machine at the end of its lifetime when its scrap realizes a sum of Rs 25000 only. Calculate what amount should be provided every year out of profit for the sinking fund if it accumulates an interest of 5% per annum. Given $(1.05)^{20} = 2.655$ Or Mr. Naresh has bought 200 shares of city look company at Rs 100 each in 2015. After selling them he has received Rs 30000 which accounts for 22.47% CAGR. Calculate the number of years for which he was holding the shares.
	SECTION D (5 marks each)
32	Using Cramer's rule, find the quadratic polynomial defined by $f(x) = ax^2 + bx + c$ if $f(1) = 0$, $f(2) = -2$ $f(3) = -6$ Or If $A = \begin{pmatrix} 1 & -1 & 1 \\ 2 & 1 & -3 \\ 1 & 1 & 1 \end{pmatrix}$, Find A^{-1} and hence solve $x + 2y + z = 4$, $-x + y + z = 0$, $x - 3y + z = 2$
33	A cake is taken out from an oven when its temperature has reached 180°F and is placed on a table in a room whose temperature is 75°F. If the temperature of the cake reaches to 150°F after half an hour, what will be its temperature after 45 minutes? Given $\left(\frac{15}{22}\right)^{\frac{3}{2}} = 0.5630$
34.	A window is in the form of a rectangle surmounted by an equilateral triangle. If the perimeter of the window is 12m, find the dimensions of the window to admit maximum light through the window.
35	Fit a straight line trend by the method of least square to the following data on sales (Rs. In lakhs) for the period 1962-1972

	<table><tr><th>Year</th><th>1962</th><th>1963</th><th>1964</th><th>1965</th><th>1966</th><th>1967</th><th>1968</th><th>1969</th><th>1970</th><th>1971</th><th>1972</th></tr><tr><th>Sale(in lakhs)</th><td>2</td><td>4</td><td>3</td><td>4</td><td>4</td><td>2</td><td>4</td><td>9</td><td>7</td><td>10</td><td>8</td></tr></table> <p>a) Calculate the trend values from 1962-1972 b) What will be predicted sales for 1980, assuming that the same rate of change continues?</p> <p style="text-align: center;">Or</p> <p>The quarterly profits of a small-scale industry (Rs in thousands) are as follows.</p> <table><tr><th>year</th><th>Quarter 1</th><th>Quarter 2</th><th>Quarter 3</th><th>Quarter 4</th></tr><tr><td>2020</td><td>39</td><td>47</td><td>20</td><td>56</td></tr><tr><td>2021</td><td>68</td><td>59</td><td>66</td><td>72</td></tr><tr><td>2022</td><td>88</td><td>60</td><td>60</td><td>67</td></tr></table> <p style="text-align: center;">Calculate 4-quarterly moving averages.</p>	Year	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	Sale(in lakhs)	2	4	3	4	4	2	4	9	7	10	8	year	Quarter 1	Quarter 2	Quarter 3	Quarter 4	2020	39	47	20	56	2021	68	59	66	72	2022	88	60	60	67
Year	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972																																		
Sale(in lakhs)	2	4	3	4	4	2	4	9	7	10	8																																		
year	Quarter 1	Quarter 2	Quarter 3	Quarter 4																																									
2020	39	47	20	56																																									
2021	68	59	66	72																																									
2022	88	60	60	67																																									
	<p style="text-align: center;">SECTION E (case study) (4 marks each)</p>																																												
36	<p>An oil company has two depots A and B with capacities 7000 litres and 4000 litres respectively. The company is to supply oil to three petrol pumps D E and F, whose requirements are 4500 litres, 3000 litres and 3500 litres respectively. The distance (in Km) between the depots and the petrol pumps is given in the following table:</p> <table><tr><th colspan="4">Distance from the depot(in km)</th></tr><tr><th>To \ From</th><th>A</th><th>B</th><th></th></tr><tr><td>D</td><td>7</td><td>3</td><td></td></tr><tr><td>E</td><td>6</td><td>4</td><td></td></tr><tr><td>F</td><td>3</td><td>2</td><td></td></tr></table> <p>Assuming that the transportation cost per km is Rs 1 per km. a. Formulate the objective function and the constraints of the above Linear programming problem. b. how should the delivery be scheduled in order that the transportation cost is minimum. Also find the minimum cost.</p>	Distance from the depot(in km)				To \ From	A	B		D	7	3		E	6	4		F	3	2																									
Distance from the depot(in km)																																													
To \ From	A	B																																											
D	7	3																																											
E	6	4																																											
F	3	2																																											
37.	<p>EMI is a part of equally divided monthly outgoes to clear off an outstanding loan within a stipulated time frame. For a fixed interest rate loan, the EMI remains fixed for the entire tenure of the loan, provided there is no default or part payment in between. The EMI is used off both the principal and interest components of an outstanding loan. The first EMI has the highest interest component and the lowest principal component.</p> <p>Rajesh purchased a house from a company for Rs 2500000 and made a down payment of Rs 500000. He repays the balance in 25 years by monthly installments at the rae of 9% per annum compounded monthly. (given $(1.0075)^{-300} = 0.1062$)</p> <p>a) Find the number of payment b) Find the rate of interest per month c) What are the monthly payment</p> <p style="text-align: center;">Or</p> <p style="text-align: center;">What is the total interest payment.</p>																																												
38	<p>Read the following passage and answer the questions given below Let X denote the number of hours a person watches television during a randomly selected day. The probability that X can take the values x_i, has the following form, where k is some unknown constant.</p> $P(X = x_i) = \begin{cases} 0.2 & x_i = 0 \\ kx_i & x_i = 1 \text{ or } 2 \\ k(5 - x_i) & x_i = 3 \end{cases} \quad P(X = x_i) = 0 \text{ otherwise}$ <p>a) What is the value of k b) What is the probability that a person watches two hours of television on a selected day? c) What is the probability that the person watches at least two hours of television on a selected day?</p> <p style="text-align: center;">Or</p>																																												

	What is the probability that the person watches at most two hours of television on a selected day?
--	--

End of paper