

NAVODAYA VIDYALAYA SAMITI
Pre Board-I Examination (2025-26)


Class : XII
Time : 3 HRS

Subject : Mathematics

Set - 1
Maximum Marks : 80


General Instructions:

- The question paper is divided into 5 sections.
- Section A, consists of 20 question. Qs. 19,20 are Assertion-Reason type Question. Each question carries 1 mark.
- Section B, consists of 5 questions (Very short Answer type Questions). Each question carries 2 marks.
- Section C, consists of 6 questions (Short Answer type Questions). Each question carries 3 marks.
- Section D, consists of 4 questions (Long Answer type Questions). Each question carries 5 marks.
- Section E, consists of 3 questions. Each question carries 4 marks.

Q. No .	Section – A	Marks
1.	A function $f: \mathbb{R} \rightarrow A$ defined as $f(x) = x^2 + 1$ is onto, if A is (A) $(-\infty, \infty)$ (B) $(1, \infty)$ (C) $[1, \infty)$ (D) $[-1, \infty)$	1
2.	The set of points where the function $f(x) = 3x - 2 $ is differentiable, is A) \mathbb{R} B) $\mathbb{R} - \frac{3}{2}$ C) $\mathbb{R} - \frac{2}{3}$ D) None	1
3.	The order and degree of the following differential equation $\frac{d^4 y}{dx^4} + 2e^{\frac{dy}{dx}} + y^2 = 0$ A) 4, 1 (b) 4, Not defined (c) 1, 1 (d) None	1
4.	The value of $\cos 2\alpha + \cos 2\beta + \cos 2\gamma$ A) 1 (B) 0 (C) -1 (D) 2	1
5.	Let A be a square matrix of order 2×2 , then $ KA $ is equal to A) $K A $ B) $K^2 A $ C) $K^3 A $ D) $2K A $	1
6.	A line makes angles α, β, γ with the co-ordinate axes. If $\alpha + \beta = 90^\circ$ then $\gamma =$ A) 0° B) 90° C) 180° D) None	1
7.	The feasible region of an LPP is shown in the figure. If $Z = 3x + 9y$, then the minimum value of Z occurs at  A) (0, 20) B) (0, 10) C) (5, 5) D) (15, 15)	1
8.	A and B are symmetric matrices of same order, then $AB' - BA'$ is always A) symmetric B) skew-symmetric C) Zero matrix D) Identity matrix	1

9.	The area enclosed by the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ is A) $\pi^2 ab$ B) πab C) $(2, \infty) \pi a^2 b$ D) $\pi b^2 a$	1
10.	The interval in which $y = x^2 e^{-x}$ increasing if A) $(-\infty, \infty)$ B) $(-2, 0)$ C) $(2, \infty)$ D) $(0, 2)$	1
11.	The point of intersection of lines $\frac{x-4}{5} = \frac{y-1}{2} = \frac{z}{1}$ and $\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4}$ A) $(-1, -1, -1)$ B) $(-1, -1, 1)$ C) $(1, -1, -1)$ D) $(-1, 1, -1)$	1
12.	For any two events A and B, $P(A)=4/5$ and $P(A \cap B)=7/10$, then $P(B/A)$ is A) $1/10$ B) $1/8$ C) $17/20$ D) $7/8$	1
13.	A is a square matrix of order 3 such that $ \text{adj } A = 64$, then value of $ A $ A) 64 B) 8 C) -8 D) ± 8	1
14.	Which of the following statement is correct A) every LPP admits an optimal solution B) If a L.P.P admits two optimal solutions it has an infinite number of optimal solutions C) A L.P.P admits unique optimal solution D) $(0,0)$ is the only optimal solution.	1
15.	If $ \vec{a} = 8$, $ \vec{b} = 3$ and $ \vec{a} \cdot \vec{b} = 12\sqrt{3}$ then the value of $ \vec{a} \times \vec{b} $ is A) 12 B) $12\sqrt{3}$ C) 6 D) $4\sqrt{3}$	1
16.	If $A = \begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix}$, then A^{10} is a) $10A$ B) $9A$ C) $2^9 A$ D) $2^{10} A$	1
17.	$\int_{-1}^1 \frac{ x }{x} dx = , (x \neq 0)$ A) -1 B) 0 C) 1 D) 1	1
18.	$\tan^{-1} \sqrt{3} - \sec^{-1}(-2) =$ A) $\frac{\pi}{6}$ B) $-\frac{\pi}{6}$ C) $\frac{\pi}{3}$ D) 0	1
19 & 20	Assertion-and-Reason Type Each question consists of two statements,namely,Assertion (A) and Reason (R).For selecting the correct answer,use the following code: (a) Both Assertion (A) and Reason (R) are the true and Reason (R) is a correct explanation of Assertion (A). (b) Both Assertion (A) and Reason (R) are the true but Reason (R) is not a correct explanation of Assertion (A). (c) Assertion (A) is true and Reason (R) is false. (d) Assertion (A) is false and Reason (R) is true.	
19	Assertion- If a matrix is skew symmetric then diagonal elements are zero. Reason- A matrix is skew symmetric if , $A^T = -A$	1

20	<p>Assertion: If $y = A \sin x + B \cos x$ then $\frac{d^2y}{dx^2} + y = 0$</p> <p>Reason: $\frac{d^2y}{dx^2} = \frac{d(dy)}{dx(dx)}$</p>	1
Q. No	Section – B	Marks
21.	<p>Find $\frac{dy}{dx}$ at $\frac{2\pi}{3}$ when $x = 10(t - \sin t)$ and $y = 12(1 - \cos t)$.</p> <p>OR</p> <p>Differentiate $\log(x + \sqrt{a^2 + x^2})$ with respect to x</p>	2
22.	Find simplest form of $\tan^{-1} \left(\frac{\cos x - \sin x}{\cos x + \sin x} \right)$	2
23.	Find the intervals in which $y = [x(x - 2)]^2$ is (a) increasing function (b) decreasing function.	2
24.	The value of $\int \sqrt{1 + \sin 2x} dx$.	2
25.	<p>If \vec{a}, \vec{b} and \vec{c} are 3 vectors with magnitudes 3, 4 and 5 respectively and $\vec{a} + \vec{b} + \vec{c} = 0$ find $\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{c} + \vec{c} \cdot \vec{a}$</p> <p>OR</p> <p>If $\vec{a} = 2\hat{i} + 2\hat{j} + 3\hat{k}$, $\vec{b} = -\hat{i} + 2\hat{j} + \hat{k}$ and $\vec{c} = 3\hat{i} + \hat{j}$ are such that $\vec{a} + \lambda\vec{b}$ is perpendicular to \vec{c} then find the value of λ</p>	2
Q. No	Section – C	Marks
26.	<p>If $x\sqrt{1+y} + y\sqrt{1+x} = 0$ and $x \neq y$, prove that $\frac{dy}{dx} = -\frac{1}{(1+x)^2}$</p> <p>OR</p> <p>If $\sin y = x \sin(a + y)$, prove that $\frac{dy}{dx} = \frac{\sin^2(a+y)}{\sin a}$</p>	3
27.	<p>Find the following integral $\int \frac{1 - \sin 2x}{x + \cos^2 x} dx$</p>	3
28.	<p>Solve the differential equation $e^x \tan y dx + (1 - e^x) \sec^2 y dy = 0$</p> <p>OR</p> <p>Solve the differential equation $\frac{dy}{dx} + y \sec^2 x = \sec^2 x \tan x$</p>	3
29.	Solve the following problem graphically: Minimise $Z = 20x + 10y$ subject to the constraints: $x + 2y \leq 40, 3x + y \geq 30, 4x + 3y \geq 60, x \geq 0, y \geq 0$	3
30.	Find the unit vector perpendicular to vector $\vec{a} = \hat{i} - 7\hat{j} + 7\hat{k}$ and $\vec{b} = 3\hat{i} - 2\hat{j} + 2\hat{k}$	3
31.	<p>Given two independent events A and B such that $P(A) = 0.3, P(B) = 0.6$. Find</p> <p>(i) $P(A \text{ and } B)$ (ii) $P(A \text{ and not } B)$ (iii) $P(A \text{ or } B)$ (iv) $P(\text{neither } A \text{ nor } B)$</p>	3

	OR	
	Probability of solving specific problem independently by A and B are $\frac{1}{2}$ and $\frac{1}{3}$ respectively. If both try to solve the problem independently, find the probability that (i) the problem is solved (ii) exactly one of them solves the problem	
Section – D		
32.	Find the shortest distance between the following pair of lines $\frac{x+1}{7} = \frac{y+1}{-6} = \frac{z+1}{1} \quad \text{and} \quad \frac{x-3}{1} = \frac{y-5}{-2} = \frac{z-7}{1}$ <p style="text-align: center;">OR</p> Find the foot of perpendicular and perpendicular distance of the point (1, 2, 1) with respect to the line $\frac{x-3}{1} = \frac{y+1}{2} = \frac{z-1}{3}$.	5
33.	Use the product $\begin{bmatrix} -4 & 4 & 4 \\ -7 & 1 & 3 \\ 5 & -3 & -1 \end{bmatrix} \begin{bmatrix} 1 & -1 & 1 \\ 1 & -2 & -2 \\ 2 & 1 & 3 \end{bmatrix}$ to solve the system of equations:-	5
34.	Find the area enclosed by the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$	5
35.	Find $\int \frac{x^2+1}{(x-1)^2(x+3)} dx$ <p style="text-align: center;">OR</p> Evaluate $\int_0^{\pi/2} \frac{dx}{a^2 \cos^2 x + b^2 \sin^2 x}$	5
Section – E		
36	In a rice mill husk is being poured in the shape of a cone so that the height of the cone is always one third the base diameter of the cone. Using the above information answer the following <div style="text-align: center;">  </div> <p>(i) Find the rate of change in the base area when the amount of husk poured at the rate 100 cc per minute and radius of the base is 5 cm. (ii) Find the rate of change in the volume of the cone when the height is 7cm and increasing at the rate 4 11 cm/min</p>	(2+2)
37.	Students of a school are taken to a railway museum to learn about railways heritage and its history.	1+1+2




An exhibit in the museum depicted many rail lines on the track near the railway station. Let L be the set of all rail lines on the railway track and R be the relation on L defined by $R = \{(l_1, l_2): l_1 \text{ is parallel to } l_2\}$. On the basis of the above information answer the following questions:

- (i) Find whether the relation R is symmetric or not.
- (ii) Find whether the relation R is transitive or not.
- (iii) If one of the rail lines on the railway track is represented by the equation $y=3x+2$, then find the set of rail lines in R related to it.

OR

Let S be the relation defined by $S = \{(l_1, l_2): l_1 \text{ is perpendicular to } l_2\}$. Check whether the relation S is symmetric and transitive.

38. A doctor is to visit a patient. From the past experience, it is known that the probabilities that he will come by cab, metro, bike or by other means of transport are respectively $\frac{3}{10}$, $\frac{1}{5}$, $\frac{1}{10}$ and $\frac{2}{5}$. The probabilities that he will be late are $\frac{1}{4}$, $\frac{1}{3}$, $\frac{1}{12}$ and $\frac{1}{10}$ if he comes by cab, metro, bike and other means of transport respectively.



- (a) What is the probability that the doctor arrived late?
- (b) When the doctor arrives late, what is the probability that he comes by metro?

OR

- (b) When the doctor arrives late, what is the probability that he comes by cab?

2 + 2