

**XII****MIND CURVE** Mid Term Mock Test Series 2026-27**Test 01**

By Deepika Bhati Teaching Mathematics Passionately since 2009

S no	Syllabus Covered	Chapters(In Half Yearly)	Marking Scheme
1.	Chapter 1	Relation & Function	25
2	Chapter 2	Inverse Trigonometry Function	15

Note: Students/Teachers can refer to this Sample Paper for practice purpose. However, students may find or experience different exam pattern as syllabus or marking scheme may vary school to school.

MM:40

GENERAL INSTRUCTIONS

Time 1.5 Hrs

READ CAREFULLY ALL INSTRUCTIONS

1. This Question Paper has 5 Sections A, B, C, D and E.
2. Section A has 10 MCQs carrying 1 mark each
3. Section B has 3 questions carrying 02 marks each.
4. Section C has 2 questions carrying 03 marks each.
5. Section D has 2 case based integrated units of assessment (04 marks each) with sub parts of the values of 1, 1 and 2 marks each respectively.
6. Section 5 has 2 questions carrying 05 marks each
7. All Questions are compulsory. E
8. This paper consists of 19 questions.
 - a. Write your answers neatly and legibly.
 - b. Ensure you have not left any question unanswered

SECTION – A**Questions 1 to 10 carry 1 mark each.**

1. Let N be the set of natural numbers and the function $f: N \rightarrow N$ be defined by $f(n) = 2n + 1 \forall n \in N$. Then f is

(a) Surjective	(b) injective	(c) bijective	(d) none of these
----------------	---------------	---------------	-------------------
2. The number of bijective functions from set A to itself when A contains 106 elements is

(a) 106	(b) $(106)^2$	(c) 106!	(d) 2^{106}
---------	---------------	----------	---------------
3. The principal value of $\tan^{-1}\left(\tan \frac{3\pi}{5}\right)$ is

(a) $\frac{2\pi}{5}$	(b) $-\frac{2\pi}{5}$	(c) $\frac{3\pi}{5}$	(d) $-\frac{3\pi}{5}$
----------------------	-----------------------	----------------------	-----------------------
4. Let $A = \{2, 4\}$. Then the total number of reflexive relations on A is

(a) 2	(b) 4	(c) 0	(d) 8
-------	-------	-------	-------
5. A function $f: R^+ \rightarrow R$ (where R^+ is the set of all non-negative real numbers) defined by $f(x) = 4x + 3$ is

(a) One-one but not onto	(b) onto but not one-one
(c) Both one-one and onto	(d) neither one-one nor onto

6. The value of $\cos\left(\frac{\pi}{6} + \cot^{-1}(-\sqrt{3})\right)$ is


(a) -1

(b) $-\frac{\sqrt{3}}{2}$

(c) 0

(d) 1

7. The graph drawn below depicts



(a) $y = \sin^{-1}x$

(b) $y = \cos^{-1}x$

(c) $y = \sec^{-1}x$

(d) $y = \cot^{-1}x$

8. Let $R = \{(x, y) \in \mathbb{R} \times \mathbb{R} : x^2 - 4xy + 3y^2 = 0\}$. The relation R is

(a) Symmetric but not transitive

(b) reflexive but not Symmetric

(c) An equivalence relation

(d) transitive but not reflexive

Question numbers 9 and 10 are Assertion and Reason based questions

Two statements are given, one labelled as Assertion (A) and the other is labelled as Reason (R). Select the correct answer to these questions from the codes (a), (b), (c) and (d) as given below.

(a) Both Assertion(A) and Reason(R) are true and Reason(R) is the correct explanation of Assertion(A).

(b) Both Assertion(A) and Reason(R) are true but Reason(R) is not the correct explanation of Assertion(A).

(c) Assertion(A) is true, but Reason(R) is false.

(d) Assertion(A) is false, but Reason(R) is true.

9. **Assertion(A):** Principal value of $\tan^{-1}(-1) = \frac{\pi}{4}$

Reason(R): $\tan^{-1}: \mathbb{R} \rightarrow \left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$

10. **Assertion(A):** If $\cos\left(\cos^{-1}\frac{2}{3} + \sin^{-1}x\right) = 0$ then $x = \frac{2}{3}$

Reason(R): $\sin^{-1}x + \cos^{-1}x = \left(\frac{\pi}{2}\right)$

SECTION – B

Questions 11 to 13 carry 2 mark each.

11(A). Write the value of $\tan^{-1}\left[2 \sin\left(2 \cos^{-1} \frac{\sqrt{3}}{2}\right)\right]$

Or

11(B). Simplify $\sec^{-1}\left(\frac{1}{2x^2-1}\right)$, $0 < x < \frac{1}{\sqrt{2}}$

12. Write the principal value of the following $\left[\cos^{-1} \frac{\sqrt{3}}{2} + \cos^{-1} \left(\frac{-1}{2}\right)\right]$

13. Find the value of $\sin\left\{2 \cot^{-1}\left(-\frac{5}{12}\right)\right\}$

SECTION – C

Questions 14 to 15 carry 3 mark each

14(A). If $A = \mathbb{R} - \{3\}$ and $B = \mathbb{R} - \{1\}$. Consider the function $f: A \rightarrow B$ defined by $(x) = \frac{x-2}{x-3}$ for all $x \in A$.

Then show that f is bijective.

Or

14(B). A function $f: \mathbb{R} \rightarrow \mathbb{R}$ is defined as $(x) = 2x^2 + 3$. Show that (x) is neither one-one nor onto

15. Write in simplest form : $\tan^{-1} \left(\frac{\cos x}{1+\sin x} \right)$

SECTION – D

Questions 16 to 17 carry 4 mark each.

- 16.** Shantanu and Dharna are playing Ludo at home. While rolling the dice, shantanu's sister Shefali observed and noted the possible outcomes of the throw every time and named the set as A. She got $A = \{1, 2, 3, 4, 5, 6\}$. Let relation $R: A \rightarrow A$ be defined by $R = \{(x, y) : y \text{ is divisible by } x\}$
- (i) Is relation R reflexive? Give reason
 - (ii) Check whether R is symmetric?
 - (iii) Write the number of reflexive relations on A.
 - (iv) Let R be a relation on A defined by $R = \{(1, 2), (2, 2), (1, 3), (3, 4), (3, 1), (4, 3), (5, 5)\}$. Is R is an equivalence relation, justify.
- 17.** Students of a school are taken to railway museum to learn about railways heritage and its history. An exhibit in the museum depicted many rail lines on the track near the railway station. Let L be the set of all rail lines on the railway track and R be the relation on L defined by $R = \{(L_1, L_2) : L_1 \text{ is parallel to } L_2\}$. On basis of the above information, answer the following questions.
- (i) Find whether the relation R is symmetric or not.
 - (ii) Find whether the relation R is transitive or not.
 - (iii) If one of the rail lines on the railway track is represented by the equation $y = 3x + 2$, then find the set of rail lines in R related to it.

SECTION – E

Questions 18 to 19 carry 5 mark each.

- 18.** If N denotes the set of all natural numbers and R is the relation on $N \times N$ defined by $(a, b) R (c, d)$ if $ad(b + c) = bc(a + d)$. Show that R is an equivalence relation. Find $[(1, 1)]$
- 19.** Consider $f: \mathbb{R}_+ \rightarrow [-5, \infty)$ given by $f(x) = 9x^2 + 6x - 5$. Show that f is bijective.

END

To get more sample papers , practice papers ,study material for Maths (only for CBSE XI-XII) join my whatsapp group at link shared below

<https://chat.whatsapp.com/E72LRTSsNjb6LPEGW2fVLt>